

10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

	This quarter (Q4 2002)	Last quarter (Q3 2002)	Same quarter last year (Q4 2001)	In year 2002
Syphilis				
<i>Primary</i>	37	54	55	174
<i>Secondary</i>	12	26	14	67
<i>Early latent</i>	50	77	54	243
<i>Late latent</i>	144	132	146	573
<i>Late (cardiovascular / neuro)</i>	0	1	2	2
<i>Congenital (early)</i>	0	0	0	0
<i>Congenital (late)</i>	1	1	0	2
Syphilis total	244	291	271	1,061

(to be cont'd)

Table 10.1 (Cont' d)

	This quarter (Q4 2002)	Last quarter (Q3 2002)	Same quarter last year (Q4 2001)	In year 2002
Gonorrhoea	750	895	879	3,287
Non-gonococcal urethritis (Male)	1,645	1,948	1,586	7,084
Non-specific genital infection (Female)	1,875	1,782	1,621	7,066
Genital wart	746	857	756	3,245
<i>Herpes genitalis</i>	354	402	379	1,432
Pediculosis pubis	91	80	78	369
Trichomonas	162	221	200	840
Genital ulcer	126	133	115	473
Chancroid / <i>Lymphogranuloma venereum</i>	1	0	1	3
Others	522	602	521	2,325
Total	6,516	7,211	6,407	27,185

11. Gender distribution of reported STIs

Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service

	This quarter (Q4 2002)	Last quarter (Q3 2002)	Same quarter last year (Q4 2001)	In year 2002
Primary Syphilis				
Male (M)	37	53	52	169
Female (F)	0	1	3	5
M:F	N.A.	53.0 : 1	17.3 : 1	33.8 : 1
Gonorrhoea				
Male (M)	613	737	731	2,719
Female (F)	137	158	148	568
M:F	4.5 : 1	4.7 : 1	4.9 : 1	4.8 : 1
NGU / NSGI *				
Male (M)	1,645	1,948	1586	7,084
Female (F)	1,875	1,782	1621	7,066
M:F	0.9 : 1	1.1 : 1	1.0 : 1	1.0 : 1

(to be cont'd)

Table 11.1 (Cont'd)

	This quarter (Q4 2002)	Last quarter (Q3 2002)	Same quarter last year (Q4 2001)	In year 2002
Genital wart				
Male (M)	564	654	551	2,485
Female (F)	182	203	205	760
M:F	3.1 : 1	3.2 : 1	2.7 : 1	3.3 : 1
Herpes genitails				
Male (M)	285	328	327	1,170
Female (F)	69	74	52	262
M:F	4.1 : 1	4.4 : 1	6.3 : 1	4.5 : 1


* NGU = Non-gonococcal urethritis
 NSGI = Non-specific genital infection

Table 11.2 Gender distribution of reported STI by clinic

	This quarter (Q4 2002)		Last quarter (Q3 2002)		Same quarter last year (Q4 2001)		In year 2002	
	Male	Female	Male	Female	Male	Female	Male	Female
Chai Wan	74	75	97	92	91	66	387	311
Lek Yuen	241	235	305	229	236	226	1,078	922
Tang Shiu Kin	469	373	578	390	546	390	2,101	1,562
Western	103	83	140	78	154	60	474	322
Yau Ma Tei	1,636	1,486	1,855	1,398	1,617	1,323	6,901	5,563
South Kwai Chung	325	188	402	179	367	149	1,397	695
Yung Fung Shee	434	259	537	331	392	292	2,004	1,220
Tuen Mun	292	243	301	299	259	239	1,183	1,065
Total	3,574	2,942	4,215	2,996	3,662	2,745	15,525	11,660


12. Clinic distribution

Chart 12.1 Number of male client reported in Q4 2002 by clinic



Format : [Clinic ; Number ; %]

Chart 12.2 Number of female client reported in Q4 2002 by clinic



Format : [Clinic ; Number ; %]