



The Hong Kong STD/AIDS update is a composite report on HIV/AIDS reporting and STI caseload statistics published 3 monthly. The current issue has the updated information up to December 2012.

**SPP Surveillance Team:**

*Dr. Philip WONG*

*Mr Steve YIM*

**Correspondence to:**

*Special Preventive Programme,*

*Centre for Health Protection, Department of Health*

*c/o Red Ribbon Centre, 2/F Wang Tau Hom Jockey Club Clinic,*

*200 Junction Road East, Kowloon, Hong Kong*

*Tel: (852) 3143 7200 Fax: (852) 2338 0534*

*E-mail: [aids@dh.gov.hk](mailto:aids@dh.gov.hk)*

## List of Tables / Figures

|                                                                                                  |            |
|--------------------------------------------------------------------------------------------------|------------|
| <b>LIST OF TABLES / FIGURES</b>                                                                  | <b>137</b> |
| <b>1. NUMBER OF HIV/AIDS REPORTED</b>                                                            | <b>139</b> |
| TABLE 1.1 SUMMARY TABLE ON THE REPORTED NUMBER OF HIV/AIDS                                       | 139        |
| CHART 1.1 NUMBER OF HIV/AIDS REPORTED                                                            | 142        |
| <b>2. GENDER DISTRIBUTION OF REPORTED HIV/AIDS</b>                                               | <b>143</b> |
| TABLE 2.1 GENDER DISTRIBUTION OF REPORTED HIV                                                    | 143        |
| CHART 2.1 GENDER DISTRIBUTION OF REPORTED HIV BY QUARTER                                         | 144        |
| CHART 2.2 GENDER DISTRIBUTION OF REPORTED HIV BY YEAR                                            | 145        |
| TABLE 2.2 GENDER DISTRIBUTION OF REPORTED AIDS                                                   | 146        |
| CHART 2.3 GENDER DISTRIBUTION OF REPORTED AIDS BY QUARTER                                        | 147        |
| CHART 2.4 GENDER DISTRIBUTION OF REPORTED AIDS BY YEAR                                           | 148        |
| <b>3. ETHNICITY OF REPORTED HIV/AIDS</b>                                                         | <b>149</b> |
| TABLE 3.1 DISTRIBUTION OF ETHNICITY OF REPORTED HIV                                              | 149        |
| CHART 3.1 DISTRIBUTION OF ETHNICITY OF REPORTED HIV                                              | 150        |
| TABLE 3.2 DISTRIBUTION OF ETHNICITY OF REPORTED AIDS                                             | 151        |
| CHART 3.2 DISTRIBUTION OF ETHNICITY OF REPORTED AIDS                                             | 152        |
| <b>4. AGE DISTRIBUTION OF REPORTED HIV/AIDS</b>                                                  | <b>153</b> |
| TABLE 4.1 AGE DISTRIBUTION OF REPORTED HIV                                                       | 153        |
| CHART 4.1 AGE DISTRIBUTION OF REPORTED HIV                                                       | 154        |
| CHART 4.2 AGE GROUP & GENDER OF TOTAL REPORTED HIV                                               | 155        |
| TABLE 4.2 AGE DISTRIBUTION OF REPORTED AIDS                                                      | 156        |
| CHART 4.3 AGE DISTRIBUTION OF REPORTED AIDS                                                      | 157        |
| CHART 4.4 AGE GROUP & GENDER OF TOTAL REPORTED AIDS                                              | 158        |
| <b>5. EXPOSURE CATEGORIES OF REPORTED HIV/AIDS</b>                                               | <b>159</b> |
| TABLE 5.1 EXPOSURE CATEGORIES OF REPORTED HIV                                                    | 159        |
| CHART 5.1 EXPOSURE CATEGORIES OF REPORTED HIV                                                    | 160        |
| TABLE 5.2 EXPOSURE CATEGORIES OF REPORTED AIDS                                                   | 161        |
| CHART 5.2 EXPOSURE CATEGORIES OF REPORTED AIDS                                                   | 162        |
| <b>6. RATIO (HETEROSEXUAL : HOMOSEXUAL / BISEXUAL) OF SEXUALLY ACQUIRED HIV INFECTION IN MEN</b> | <b>163</b> |

|                                                                                                                          |            |
|--------------------------------------------------------------------------------------------------------------------------|------------|
| TABLE 6.1 RATIO OF SEXUALLY ACQUIRED INFECTION IN MEN WITH REPORTED HIV/AIDS (HETEROSEXUAL : HOMO / BISEXUAL) BY QUARTER | 163        |
| TABLE 6.2 RATIO OF SEXUALLY ACQUIRED INFECTION IN MEN WITH REPORTED HIV/AIDS (HETEROSEXUAL : HOMO / BISEXUAL) BY YEAR    | 164        |
| <b>7. INJECTING DRUG USERS IN REPORTED HIV/AIDS</b>                                                                      | <b>165</b> |
| TABLE 7.1 INJECTING DRUG USERS IN REPORTED HIV/AIDS                                                                      | 165        |
| TABLE 7.2 NUMBER OF INJECTING DRUG USER IN REPORTED HIV/AIDS BY YEAR                                                     | 166        |
| <b>8. SOURCE OF REFERRAL OF REPORTED HIV/AIDS</b>                                                                        | <b>167</b> |
| TABLE 8.1 SOURCE OF REFERRAL OF REPORTED HIV                                                                             | 167        |
| CHART 8.1 SOURCE OF REFERRAL OF REPORTED HIV                                                                             | 168        |
| TABLE 8.2 SOURCE OF REFERRAL OF REPORTED AIDS                                                                            | 169        |
| CHART 8.2 SOURCE OF REFERRAL OF REPORTED AIDS                                                                            | 170        |
| <b>9. DISTRIBUTION OF AIDS DEFINING ILLNESSES</b>                                                                        | <b>171</b> |
| TABLE 9.1 DISTRIBUTION OF AIDS DEFINING ILLNESS OF REPORTED AIDS                                                         | 171        |
| CHART 9.1 AIDS DEFINING ILLNESS OF TOTAL REPORTED AIDS                                                                   | 172        |
| CHART 9.2 AIDS DEFINING ILLNESS OF REPORTED AIDS BY YEAR                                                                 | 173        |
| <b>10. REPORTED SEXUALLY TRANSMITTED INFECTIONS (STIS) DIAGNOSED IN SOCIAL HYGIENE SERVICE</b>                           | <b>174</b> |
| TABLE 10.1 SUMMARY TABLE ON THE REPORTED STIs DIAGNOSED IN SOCIAL HYGIENE SERVICE                                        | 174        |
| <b>11. GENDER DISTRIBUTION OF REPORTED STIS</b>                                                                          | <b>176</b> |
| TABLE 11.1 GENDER DISTRIBUTION OF SELECTED STI REPORTED BY SOCIAL HYGIENE SERVICE                                        | 176        |
| TABLE 11.2 GENDER DISTRIBUTION OF REPORTED STI BY CLINIC                                                                 | 178        |
| <b>12. CLINIC DISTRIBUTION</b>                                                                                           | <b>179</b> |
| CHART 12.1 NUMBER OF MALE CLIENT REPORTED IN Q4 2012 BY CLINIC                                                           | 179        |
| CHART 12.2 NUMBER OF FEMALE CLIENT REPORTED IN Q4 2012 BY CLINIC                                                         | 180        |

## 1. Number of HIV/AIDS reported

**Table 1.1 Summary table on the reported number of HIV/AIDS**

|                       | This quarter<br>(Oct - Dec 2012) |      | Last quarter<br>(Jul - Sep 2012) |      | Same quarter last year<br>(Oct - Dec 2011) |      | Cumulative<br>(1984 – 2012) |       |
|-----------------------|----------------------------------|------|----------------------------------|------|--------------------------------------------|------|-----------------------------|-------|
|                       | HIV                              | AIDS | HIV                              | AIDS | HIV                                        | AIDS | HIV                         | AIDS  |
| <b>Sex</b>            |                                  |      |                                  |      |                                            |      |                             |       |
| Male                  | 93                               | 19   | 112                              | 15   | 96                                         | 23   | 4,599                       | 1,140 |
| Female                | 27                               | 6    | 28                               | 2    | 25                                         | 3    | 1,184                       | 213   |
| <b>Ethnicity/race</b> |                                  |      |                                  |      |                                            |      |                             |       |
| Chinese               | 74                               | 18   | 105                              | 15   | 81                                         | 20   | 3,840                       | 1,044 |
| Non-Chinese           | 40                               | 7    | 31                               | 2    | 38                                         | 6    | 1,882                       | 309   |
| <i>Asian</i>          | 16                               | 4    | 11                               | 0    | 15                                         | 5    | 954                         | 205   |
| <i>White</i>          | 11                               | 2    | 10                               | 2    | 11                                         | 0    | 410                         | 83    |
| <i>Black</i>          | 4                                | 1    | 2                                | 0    | 4                                          | 1    | 124                         | 20    |
| <i>Others</i>         | 9                                | 0    | 8                                | 0    | 8                                          | 0    | 394                         | 1     |
| Unknown               | 6                                | 0    | 4                                | 0    | 2                                          | 0    | 61                          | 0     |

(to be cont'd)

**Table 1.1 (cont'd)**


|                                | This quarter<br>(Oct - Dec 2012) |      | Last quarter<br>(Jul - Sep 2012) |      | Same quarter last year<br>(Oct - Dec 2011) |      | Cumulative<br>(1984 – 2012) |       |
|--------------------------------|----------------------------------|------|----------------------------------|------|--------------------------------------------|------|-----------------------------|-------|
|                                | HIV                              | AIDS | HIV                              | AIDS | HIV                                        | AIDS | HIV                         | AIDS  |
| <b>Age at diagnosis</b>        |                                  |      |                                  |      |                                            |      |                             |       |
| Adult                          | 119                              | 25   | 140                              | 17   | 121                                        | 26   | 5,735                       | 1,341 |
| Child (age 13 or less)         | 1                                | 0    | 0                                | 0    | 0                                          | 0    | 48                          | 12    |
| <b>Exposure category</b>       |                                  |      |                                  |      |                                            |      |                             |       |
| Heterosexual                   | 26                               | 11   | 32                               | 6    | 27                                         | 8    | 2,365                       | 788   |
| Homosexual                     | 49                               | 9    | 71                               | 10   | 55                                         | 11   | 1,711                       | 321   |
| Bisexual                       | 4                                | 2    | 4                                | 0    | 3                                          | 2    | 236                         | 56    |
| Injecting drug use             | 3                                | 1    | 1                                | 0    | 5                                          | 1    | 317                         | 55    |
| Blood / blood product infusion | 0                                | 0    | 0                                | 0    | 0                                          | 0    | 82                          | 24    |
| Perinatal                      | 1                                | 0    | 0                                | 0    | 0                                          | 0    | 27                          | 8     |
| Undetermined                   | 37                               | 2    | 32                               | 1    | 31                                         | 4    | 1,045                       | 101   |

**(to be cont'd)**

**Table 1.1 (Cont'd)**

|                                                  | This quarter<br>(Oct - Dec 2012) |           | Last quarter<br>(Jul - Sep 2012) |           | Same quarter last year<br>(Oct - Dec 2011) |           | Cumulative<br>(1984 – 2012) |              |
|--------------------------------------------------|----------------------------------|-----------|----------------------------------|-----------|--------------------------------------------|-----------|-----------------------------|--------------|
| <b>Source of referral</b>                        | HIV                              | AIDS      | HIV                              | AIDS      | HIV                                        | AIDS      | HIV                         | AIDS         |
| Public hospitals / clinics /<br>laboratories     | 43                               | 17        | 51                               | 13        | 53                                         | 23        | 2,472                       | 1009         |
| Private hospitals / clinics /<br>laboratories    | 26                               | 5         | 38                               | 0         | 24                                         | 3         | 1,302                       | 192          |
| Social Hygiene Clinics                           | 14                               | 0         | 15                               | 0         | 12                                         | 0         | 761                         | 46           |
| AIDS service organisations<br>(AIDS Unit + NGOs) | 34                               | 3         | 34                               | 4         | 26                                         | 0         | 1,048                       | 96           |
| Hong Kong Red Cross Blood<br>Transfusion Service | 1                                | 0         | 2                                | 0         | 0                                          | 0         | 110                         | 9            |
| Drug rehabilitation services                     | 2                                | 0         | 0                                | 0         | 6                                          | 0         | 90                          | 1            |
| <b>Total</b>                                     | <b>120</b>                       | <b>25</b> | <b>140</b>                       | <b>17</b> | <b>121</b>                                 | <b>26</b> | <b>5,783</b>                | <b>1,353</b> |

**Chart 1.1 Number of HIV/AIDS reported**





## 2. Gender distribution of reported HIV/AIDS

**Table 2.1 Gender distribution of reported HIV**

|              | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Male         | 93                               | 112                              | 96                                         | 4,599                       |
| Female       | 27                               | 28                               | 25                                         | 1,184                       |
| <b>Total</b> | <b>120</b>                       | <b>140</b>                       | <b>121</b>                                 | <b>5,783</b>                |





**Chart 2.1 Gender distribution of reported HIV by quarter**

**Chart 2.2 Gender distribution of reported HIV by year**

**Table 2.2 Gender distribution of reported AIDS**

|              | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Male         | 19                               | 15                               | 23                                         | 1,140                       |
| Female       | 6                                | 2                                | 3                                          | 213                         |
| <b>Total</b> | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |


**Chart 2.3 Gender distribution of reported AIDS by quarter**

**Chart 2.4 Gender distribution of reported AIDS by year**

### 3. Ethnicity of reported HIV/AIDS

**Table 3.1 Distribution of ethnicity of reported HIV**


|                    | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <b>Chinese</b>     | 74                               | 105                              | 81                                         | 3,840                       |
| <b>Non-Chinese</b> | 40                               | 31                               | 38                                         | 1,882                       |
| <i>Asian</i>       | 16                               | 11                               | 15                                         | 954                         |
| <i>White</i>       | 11                               | 10                               | 11                                         | 410                         |
| <i>Black</i>       | 4                                | 2                                | 4                                          | 124                         |
| <i>Others</i>      | 9                                | 8                                | 8                                          | 394                         |
| <b>Unknown</b>     | 6                                | 4                                | 2                                          | 61                          |
| <b>Total</b>       | <b>120</b>                       | <b>140</b>                       | <b>121</b>                                 | <b>5,783</b>                |

**Chart 3.1 Distribution of ethnicity of reported HIV**

**Table 3.2 Distribution of ethnicity of reported AIDS**

|                    | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <b>Chinese</b>     | 18                               | 15                               | 20                                         | 1,044                       |
| <b>Non-Chinese</b> | 7                                | 2                                | 6                                          | 309                         |
| <i>Asian</i>       | 4                                | 0                                | 5                                          | 205                         |
| <i>White</i>       | 2                                | 2                                | 0                                          | 83                          |
| <i>Black</i>       | 1                                | 0                                | 1                                          | 20                          |
| <i>Others</i>      | 0                                | 0                                | 0                                          | 1                           |
| <b>Unknown</b>     | 0                                | 0                                | 0                                          | 0                           |
| <b>Total</b>       | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |





**Chart 3.2 Distribution of ethnicity of reported AIDS**

#### 4. Age distribution of reported HIV/AIDS

**Table 4.1 Age distribution of reported HIV**


|                        | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Adult                  | 119                              | 140                              | 121                                        | 5,735                       |
| Child (age 13 or less) | 1                                | 0                                | 0                                          | 48                          |
| <b>Total</b>           | <b>120</b>                       | <b>140</b>                       | <b>121</b>                                 | <b>5,783</b>                |


**Chart 4.1 Age distribution of reported HIV**

**Chart 4.2 Age group & gender of total reported HIV**

**Table 4.2 Age distribution of reported AIDS**

|                        | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Adult                  | 25                               | 17                               | 26                                         | 1,341                       |
| Child (age 13 or less) | 0                                | 0                                | 0                                          | 12                          |
| <b>Total</b>           | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |

**Chart 4.3 Age distribution of reported AIDS**


**Chart 4.4 Age group & gender of total reported AIDS**

## 5. Exposure categories of reported HIV/AIDS

**Table 5.1 Exposure categories of reported HIV**


|                                | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Heterosexual                   | 26                               | 32                               | 27                                         | 2,365                       |
| Homosexual                     | 49                               | 71                               | 55                                         | 1,711                       |
| Bisexual                       | 4                                | 4                                | 3                                          | 236                         |
| Injecting drug use             | 3                                | 1                                | 5                                          | 317                         |
| Blood / blood product infusion | 0                                | 0                                | 0                                          | 82                          |
| Perinatal                      | 1                                | 0                                | 0                                          | 27                          |
| Undetermined                   | 37                               | 32                               | 31                                         | 1,045                       |
| <b>Total</b>                   | <b>120</b>                       | <b>140</b>                       | <b>121</b>                                 | <b>5,783</b>                |



**Chart 5.1 Exposure categories of reported HIV**

**Table 5.2 Exposure categories of reported AIDS**

|                                | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Heterosexual                   | 11                               | 6                                | 8                                          | 788                         |
| Homosexual                     | 9                                | 10                               | 11                                         | 321                         |
| Bisexual                       | 2                                | 0                                | 2                                          | 56                          |
| Injecting drug use             | 1                                | 0                                | 1                                          | 55                          |
| Blood / blood product infusion | 0                                | 0                                | 0                                          | 24                          |
| Perinatal                      | 0                                | 0                                | 0                                          | 8                           |
| Undetermined                   | 2                                | 1                                | 4                                          | 101                         |
| <b>Total</b>                   | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |

**Chart 5.2 Exposure categories of reported AIDS**

## 6. Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men

**Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter**

|      | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| HIV  | 0.2 : 1                          | 0.2 : 1                          | 0.3 : 1                                    | <b>0.7 : 1</b>              |
| AIDS | 0.5 : 1                          | 0.4 : 1                          | 0.5 : 1                                    | <b>1.3 : 1</b>              |

**Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year**

|      | 2003    | 2004    | 2005    | 2006    | 2007    | 2008    | 2009    | 2010    | 2011    | 2012    | 1984 –<br>2012 |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------------|
| HIV  | 1.6 : 1 | 1.1 : 1 | 0.8 : 1 | 0.7 : 1 | 0.4 : 1 | 0.6 : 1 | 0.4 : 1 | 0.4 : 1 | 0.3 : 1 | 0.2 : 1 | <b>0.7 : 1</b> |
| AIDS | 4.9 : 1 | 3.8 : 1 | 1.8 : 1 | 0.8 : 1 | 1.5 : 1 | 1.4 : 1 | 0.8 : 1 | 0.8 : 1 | 0.4 : 1 | 0.6 : 1 | <b>1.3 : 1</b> |

## 7. Injecting drug users in reported HIV/AIDS

**Table 7.1 Injecting drug users in reported HIV/AIDS**

|                              | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| HIV<br>(% of reported HIV)   | 3<br>2.5%                        | 1<br>0.7%                        | 5<br>4.1%                                  | <b>317</b><br><b>5.5%</b>   |
| AIDS<br>(% of reported AIDS) | 1<br>4.0%                        | 0<br>0.0%                        | 1<br>3.8%                                  | <b>55</b><br><b>4.1%</b>    |

**Table 7.2 Number of injecting drug user in reported HIV/AIDS by year**


|                                    | 2003         | 2004         | 2005         | 2006          | 2007          | 2008         | 2009         | 2010         | 2011         | 2012        | 1984 –<br>2012              |
|------------------------------------|--------------|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|-------------|-----------------------------|
| HIV<br>(% of<br>reported<br>HIV)   | 12<br>(5.2%) | 25<br>(9.3%) | 31<br>(9.9%) | 58<br>(15.5%) | 44<br>(10.6%) | 42<br>(9.7%) | 15<br>(3.8%) | 15<br>(3.9%) | 14<br>(3.2%) | 7<br>(1.4%) | <b>317</b><br><b>(5.5%)</b> |
| AIDS<br>(% of<br>reported<br>AIDS) | 0<br>(0.0%)  | 3<br>(6.1%)  | 1<br>(1.6%)  | 11<br>(15.1%) | 9<br>(11.4%)  | 9<br>(9.4%)  | 2<br>(2.6%)  | 3<br>(3.8%)  | 5<br>(6.1%)  | 2<br>(2.3%) | <b>55</b><br><b>(4.1%)</b>  |

## 8. Source of referral of reported HIV/AIDS

**Table 8.1 Source of referral of reported HIV**

|                                                  | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Public hospitals / clinics / laboratories        | 43                               | 51                               | 53                                         | 2,472                       |
| Private hospitals / clinics / laboratories       | 26                               | 38                               | 24                                         | 1,302                       |
| Social Hygiene Clinics                           | 14                               | 15                               | 12                                         | 761                         |
| AIDS service organisations<br>(AIDS unit + NGOs) | 34                               | 34                               | 26                                         | 1,048                       |
| Hong Kong Red Cross Blood<br>Transfusion Service | 1                                | 2                                | 0                                          | 110                         |
| Drug rehabilitation services                     | 2                                | 0                                | 6                                          | 90                          |
| <b>Total</b>                                     | <b>120</b>                       | <b>140</b>                       | <b>121</b>                                 | <b>5,783</b>                |




**Chart 8.1 Source of referral of reported HIV**

**Table 8.2 Source of referral of reported AIDS**

|                                                  | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|--------------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Public hospitals / clinics / laboratories        | 17                               | 13                               | 23                                         | 1009                        |
| Private hospitals / clinics / laboratories       | 5                                | 0                                | 3                                          | 192                         |
| Social Hygiene Clinics                           | 0                                | 0                                | 0                                          | 46                          |
| AIDS service organisations<br>(AIDS unit + NGOs) | 3                                | 4                                | 0                                          | 96                          |
| Hong Kong Red Cross Blood<br>Transfusion Service | 0                                | 0                                | 0                                          | 9                           |
| Drug rehabilitation services                     | 0                                | 0                                | 0                                          | 1                           |
| <b>Total</b>                                     | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |

Chart 8.2 Source of referral of Reported AIDS




## 9. Distribution of AIDS defining illnesses

**Table 9.1 Distribution of AIDS defining illness of reported AIDS**


|                                       | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | Cumulative<br>(1984 – 2012) |
|---------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <i>Pneumocystis carinii pneumonia</i> | 7                                | 10                               | 15                                         | 541                         |
| <i>Mycobacterium tuberculosis</i>     | 5                                | 1                                | 5                                          | 359                         |
| Other fungal infections               | 5                                | 2                                | 1                                          | 122                         |
| Penicilliosis                         | 1                                | 2                                | 0                                          | 102                         |
| Cytomegalovirus diseases              | 0                                | 1                                | 2                                          | 62                          |
| Non-TB mycobacterial infections       | 1                                | 0                                | 0                                          | 30                          |
| Kaposi's sarcoma                      | 0                                | 1                                | 0                                          | 30                          |
| Others                                | 6                                | 0                                | 3                                          | 107                         |
| <b>Total</b>                          | <b>25</b>                        | <b>17</b>                        | <b>26</b>                                  | <b>1,353</b>                |

**Chart 9.1 AIDS defining illness of total reported AIDS**



Format: [ ADI; Number; % ]

Chart 9.2 AIDS defining illness of reported AIDS by year



## 10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

|                                              | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | In year 2012 |
|----------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|--------------|
| <b>Syphilis</b>                              |                                  |                                  |                                            |              |
| <i>Primary</i>                               | 9                                | 16                               | 13                                         | 46           |
| <i>Secondary</i>                             | 16                               | 13                               | 13                                         | 58           |
| <i>Early latent</i>                          | 12                               | 17                               | 12                                         | 45           |
| <i>Late latent</i>                           | 186                              | 234                              | 237                                        | 859          |
| <i>Late (cardiovascular / neuro /ocular)</i> | 1                                | 1                                | 2                                          | 3            |
| <i>Congenital (early)</i>                    | 0                                | 0                                | 0                                          | 0            |
| <i>Congenital (late)</i>                     | 0                                | 0                                | 5                                          | 2            |
| <b>Syphilis total</b>                        | <b>224</b>                       | <b>281</b>                       | <b>282</b>                                 | <b>1,013</b> |

(to be cont'd)

**Table 10.1 (Cont'd)**

|                                             | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | In year 2012  |
|---------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|---------------|
| Gonorrhoea                                  | 309                              | 327                              | 343                                        | 1,222         |
| Non-gonococcal urethritis (Male)            | 853                              | 942                              | 893                                        | 3,501         |
| Non-specific genital infection (Female)     | 638                              | 637                              | 554                                        | 2,501         |
| Genital wart                                | 464                              | 460                              | 402                                        | 1,883         |
| <i>Herpes genitalis</i>                     | 196                              | 182                              | 173                                        | 658           |
| Pediculosis pubis                           | 24                               | 15                               | 27                                         | 78            |
| Trichomonas                                 | 94                               | 106                              | 97                                         | 412           |
| Genital ulcer                               | 2                                | 5                                | 5                                          | 14            |
| Chancroid / <i>Lymphogranuloma venereum</i> | 0                                | 0                                | 0                                          | 1             |
| Others                                      | 247                              | 253                              | 242                                        | 935           |
| <b>Total</b>                                | <b>3,051</b>                     | <b>3,208</b>                     | <b>3,018</b>                               | <b>12,218</b> |



## 11. Gender distribution of reported STIs

**Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service**

|                         | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | In year 2012   |
|-------------------------|----------------------------------|----------------------------------|--------------------------------------------|----------------|
| <b>Primary Syphilis</b> |                                  |                                  |                                            |                |
| Male (M)                | 9                                | 16                               | 13                                         | 46             |
| Female (F)              | 0                                | 0                                | 0                                          | 0              |
| <b>M:F</b>              | <b>N.A.</b>                      | <b>N.A.</b>                      | <b>N.A.</b>                                | <b>N.A.</b>    |
| <b>Gonorrhoea</b>       |                                  |                                  |                                            |                |
| Male (M)                | 272                              | 292                              | 299                                        | 1,084          |
| Female (F)              | 37                               | 35                               | 44                                         | 138            |
| <b>M:F</b>              | <b>7.4 : 1</b>                   | <b>8.3 : 1</b>                   | <b>6.8 : 1</b>                             | <b>7.9 : 1</b> |
| <b>NGU / NSGI *</b>     |                                  |                                  |                                            |                |
| Male (M)                | 853                              | 942                              | 893                                        | 3,501          |
| Female (F)              | 638                              | 637                              | 554                                        | 2,501          |
| <b>M:F</b>              | <b>1.3 : 1</b>                   | <b>1.5 : 1</b>                   | <b>1.6 : 1</b>                             | <b>1.4 : 1</b> |

(to be cont'd)

**Table 11.1 (Cont'd)**

|                                | This quarter<br>(Oct - Dec 2012) | Last quarter<br>(Jul - Sep 2012) | Same quarter last year<br>(Oct - Dec 2011) | In year 2012   |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|----------------|
| <b>Genital wart</b>            |                                  |                                  |                                            |                |
| Male (M)                       | 345                              | 310                              | 299                                        | 1,327          |
| Female (F)                     | 119                              | 150                              | 103                                        | 556            |
| <b>M:F</b>                     | <b>2.9 : 1</b>                   | <b>2.1 : 1</b>                   | <b>2.9 : 1</b>                             | <b>2.4 : 1</b> |
| <b><i>Herpes genitails</i></b> |                                  |                                  |                                            |                |
| Male (M)                       | 118                              | 113                              | 125                                        | 426            |
| Female (F)                     | 78                               | 69                               | 48                                         | 232            |
| <b>M:F</b>                     | <b>1.5 : 1</b>                   | <b>1.6 : 1</b>                   | <b>2.6 : 1</b>                             | <b>1.8 : 1</b> |

\* NGU = Non-gonococcal urethritis


NSGI = Non-specific genital infection

**Table 11.2 Gender distribution of reported STI by clinic**

|                | This quarter<br>(Oct - Dec 2012) |              | Last quarter<br>(Jul - Sep 2012) |              | Same quarter last year<br>(Oct - Dec 2011) |              | In year 2012 |              |
|----------------|----------------------------------|--------------|----------------------------------|--------------|--------------------------------------------|--------------|--------------|--------------|
|                | Male                             | Female       | Male                             | Female       | Male                                       | Female       | Male         | Female       |
| Chai Wan       | 37                               | 44           | 35                               | 56           | 48                                         | 48           | 161          | 191          |
| Wan Chai       | 369                              | 232          | 409                              | 245          | 390                                        | 188          | 1,599        | 912          |
| Yau Ma Tei     | 778                              | 620          | 876                              | 615          | 825                                        | 522          | 3,204        | 2,322        |
| Yung Fung Shee | 260                              | 90           | 239                              | 146          | 230                                        | 126          | 919          | 487          |
| Tuen Mun       | 161                              | 129          | 160                              | 129          | 186                                        | 161          | 628          | 581          |
| Fanling ITC    | 175                              | 156          | 161                              | 137          | 177                                        | 117          | 645          | 569          |
| <b>Total</b>   | <b>1,780</b>                     | <b>1,271</b> | <b>1,880</b>                     | <b>1,328</b> | <b>1,856</b>                               | <b>1,162</b> | <b>7,156</b> | <b>5,062</b> |


## 12. Clinic distribution

Chart 12.1 Number of male client reported in Q4 2012 by clinic



Format : [ Clinic ; Number ; % ]

**Chart 12.2 Number of female client reported in Q4 2012 by clinic**



Format : [ Clinic ; Number ; % ]