

Residential Care Home Vaccination Programme (RVP) 2017/18

Briefing to Visiting Medical Officers

(25 & 28 August 2017)



Important Points to Note Centre for Isealth Protection

- Newly added 13-valent pneumococcal conjugate vaccine (PCV13) in RVP 2017/18
- 2. Two different dates for 2 vaccines (SIV + PCV13/23vPPV) to prevent vaccine incidents
- 3. Frequently seen problems in RVP
 - Check eHealth System (Subsidies) before vaccination
- 4. New consent form
- 5. New initiatives in RVP 2016/17



Important Points to Note (1) (中原衛生防護中心 Centre for I Sealth Protection

Pneumococcal Vaccine

- All residents in RCHEs and residents aged 65 or above residing in RCHDs should receive
 - one dose of <u>13-valent pneumococcal conjugate vaccine (PCV13)</u> and one dose of 23-valent pneumococcal polysaccharide vaccine (23vPPV) with one year apart
- After completion of PCV13 and 23vPPV vaccination, no re-vaccination is needed

HP 衛生防護中心 Centre for Health Protection

Recommendations for the use of pneumococcal vaccine

(a) Residents who have already received 23vPPV are eligible for one dose of free PCV13 1 year* after previous 23vPPV vaccination

Example (b)		1 st dose	Recommended dose interval	2 nd dose
Previously vaccinated	(b)	Previous season(s) 23vPPV [^]	≥ 1 year*	2017/18 season PCV13
	e.g.	1/11/2016		1/11/2017



[^] Regardless of the number of doses of 23vPPV / PCV13 received in previous years, one dose of PCV13 / 23vPPV should be given 1 year after previous dose of pneumococcal vaccination.

^{* 1} year is assumed to be one calendar year

HP 衛生防護中心 Centre for Health Protection

Recommendations for the use of pneumococcal vaccine

(b) Residents who have never received PCV13 or 23vPPV before are eligible for one dose of free PCV13, and followed by one dose of free 23vPPV 1 year* later

Example (a)		1 st dose	Recommended dose interval	2 nd dose
Unvaccinated	(a)	2017/18 season PCV13	≥ 1 year*	2018/19 season 23vPPV
	e.g.	30/12/2017		30/12/2018



^{* 1} year is assumed to be one calendar year

HP 衛生防護中心 Centre for Health Protection

Recommendations for the use of pneumococcal vaccine

(c) Residents who have already received PCV13 are eligible for one dose of free 23vPPV 1 year* after previous PCV13 vaccination

Example (c)		1 st dose	Recommended dose interval	2 nd dose
Previously vaccinated	(c)	Previous season(s) PCV13^	≥ 1 year*	2017/18 season 23vPPV
	e.g.	30/12/2016		30/12/2017



[^] Regardless of the number of doses of 23vPPV / PCV13 received in previous years, one dose of PCV13 / 23vPPV should be given 1 year after previous dose of pneumococcal vaccination.

^{* 1} year is assumed to be one calendar year

Important Points to Note (2)



- Advice: 2 different dates for 2 different vaccines, especially RCHE
 - Limited space for vaccine storage at fridge at RCHs
 - To avoid wrong vaccine administration
- SIV and PV should be administered at different injection sites (左流右肺)

Important Points to Note (3)

- Incidents of administering >= 2 doses of 23vPPV
- Such problems can be avoided by checking eHealth System (Subsidies) (eHS)(S) before vaccination
- Some VMOs want no reimbursement and therefore made NO claims in eHS (S) in the past
 - Still need to check eHS(S) before vaccination
 - Still need to enter information after vaccination
 - Contact VO to request no reimbursement

Important Points to Note 4 to Friedlik Protection



院舍編號 (由院全填寫)

過往接種記錄	最近一次接種 日期 (月/年)
季節性流感疫苗	11/2016
13 價肺炎球菌結合疫苗	/
23 價肺炎球菌多醣疫苗	9/2009
(由到診註冊醫生	填寫)

常 衛生署 世 院舍防疫注射計劃 疫苗接種同意書

醫健通(資助)系統交易編號				
1. TR	1. TR			
2. TR				
	2017/18 年度			
接種記錄	接種日期			
	(日/月/年)			
(三價)季節性流感疫苗	1 1			
(四價)季節性流感疫苗	17 / 11 / 2017			
13 價肺炎球菌結合疫苗	24 / 11 / 2017			
23 價肺炎球菌多醣疫苗	/ /			
到診註冊醫生姓名:Chan'	Tai Man			

通(資助)系統查核服務使

- 注意: 1.
 - 請用黑」或藍色筆以正楷填寫本同意書。
 - 2. 填妥的 用者的
 - 3. 到診註

《書須於接種日期最少十個工作天前交予到診註冊醫生,以透過**醫** 接種記錄。

須於接種疫苗後妥善保存同意書的正本。

Before vaccination, fill in the vaccination date of previous dose of vaccine according to eHS(S) and vaccination record

After vaccination, fill in the vaccination date

Important Points to Note (5)



- Same day delivery of vaccine
 - 52% delivered vaccine on the same day of vaccination (43% one day before vaccination)

- Inspection to RCHs
 - To evaluate and improve vaccination procedure and logistics
 - Staff of DH may randomly perform onsite inspection of the services provided



Residential Care Home Vaccination Programme (RVP)





Chronology

Year	Vaccine	Target recipients	Service Provider	
1998	SIV	Residents of RCHEs	DH	
2003	SIV	Residents of RCHDs	DH	
2005	SIV	Health care workers of RCHEs/RCHDs	DH	
2009	Reside	ential Care Home Vaccination Program Visiting Medical Officers (VMO)	, , , , , , , , , , , , , , , , , , ,	
2009	23vPPV	Residents of RCHEs & >= 65 years old residents of RCHDs	RVP	
2015	SIV	Non-institutionalised Persons with intellectual disabilities (PID) in designated institutions (DI)	RVP	
2017	PCV13	Residents of RCHEs & >= 65 years old residents of RCHDs	RVP	

Overview of RVP



- RCHs/DIs invite private doctors enrolled to RVP Visiting Medical Officers (VMOs) to provide on-site vaccination
 - a form of public private partnership
 - 424 VMOs enrolled under RVP 2016/17 (list published in CHP website)
 - a familiar and convenient place for residents, PID and staff
- Injection fee of HK\$50 per injection will be reimbursed to VMOs through the eHealth System (Subsidies) (eHS(S)) after the injections

Coverage Rate of 2016/17 RVP



1. Seasonal Influenza Vaccine

Category	Type of Institution	Coverage
Residents	RCHE	80.5%
Residents	RCHD	71.3%
Staff	RCHE	42.2%
Stail	RCHD	28.5%
Service User	DI	55.4% (calculated based on the number of service users in DIs enrolled)

2. Pneumococcal Vaccine (23vPPV)

	Category	Type of Institution	Accumulated Coverage
Danido		RCHE	73.5%
	Residents	RCHD	74.2%



Residential Care Home Vaccination Programme (RVP) 2017/18



Eligibility for Vaccination under RVP (用原質生物語中心 Centre for Health Protection

Time of institution	Elicible avenue	Types of vaccines to be vaccinated		
Type of institution	Eligible groups	SIV	PCV13 and 23vPPV*	
	Residents in RCHE (NOT include day care centre users)	✓	✓	
RCHE	Staff in RCHE (NOT include those working in day care centre)	✓	×	
RCHD	Residents/boarders in RCHD (NOT include day care centre users or day pupils)	✓	✓ (For residents aged 65 or above ONLY)	
KOND	Staff in RCHD (NOT include those working in day care centre)	✓	×	
Designated Institutions (DI)	Non-institutionalised PID receiving service in Dis (NOT include non-PID users)	✓	×	
serving PIDs	Staff working in DIs	×	×	

^{*}Depending on past vaccination record



Vaccination Period

- Seasonal influenza vaccination
 - Start on 25 Oct 2017
- Pneumococcal vaccination
 - 1. 23-valent pneumococcal polysaccharide vaccine (23vPPV)
 - Ongoing since commencement in October 2009
 - 2. 13-valent pneumococcal conjugate vaccine (PCV13)
 - Starts from 2017/18 season and continues throughout the year



Seasonal influenza vaccine

- Quadrivalent, inactivated
- Vaccine Composition
 - -an A/Michigan/45/2015 (H1N1)pdm09-like virus
 - -an A/Hong Kong/4801/2014(H3N2)-like virus
 - -a B/Brisbane/60/2008-like virus
 - -a B/Phuket/3073/2013-like virus





FluarixTM Tetra (GlaxoSmithKline)

- For persons aged 36 months or above
- 0.5 ml pre-filled syringe (with separated needle)
- Intramuscular (trivalent influenza vaccine can be ordered for subcutaneous injection)
- Expiry date: end of month marked on package












Needle Syringe Syringe plunger Syringe barrel Syringe cap



- 1. Holding the syringe <u>barrel</u> in one hand (avoid holding the syringe plunger), unscrew the syringe cap by twisting it anticlockwise.
- 2. To attach the needle to the syringe, twist the needle clockwise into the syringe until you feel it lock (see picture).
- 3. Remove the needle protector, which on occasion can be a little stiff.
- 4. Administer the vaccine.





FluQuadri (Sanofi)

- For children 6 months to 35 months
- 0.25 ml pre-filled syringe (without needle; needle separately provided)
- Intramuscular
- Expiry date: date marked on package (e.g. 29 May 2018)







Pneumococcal vaccine



Prevenar 13 (Pfizer)

13-valent pneumococcal conjugate vaccine (PCV13)

- 0.5ml prefilled syringe without needle (Needles separately provided)
- Intramuscular
- Expiry date: end of month marked on package





Pneumococcal vaccine



Pneumo-23 (MSD)

23-valent pneumococcal polysaccharide vaccine (23vPPV)

- 0.5ml vial (single dose) (Syringes separately provided)
- Intramuscular
- Expiry date: date marked on package









Logistics



Before vaccination



- DH supplies and delivers consent forms, vaccines, sharp boxes and immunization cards to RCHs/DIs before the scheduled vaccination
- RCHs/DIs send consent forms signed by eligible residents/PIDs and staff to VMO 10 days in advance for checking
- VMO should <u>perform prior checking of vaccination history and</u> <u>eligibility for all recipients through eHealth System (Subsidies)</u> (delay vaccination if checking has not been done)
- VMO should fill in the vaccination date of previous dose of vaccine on the consent form after checking
- Create account for new eligible clients if necessary
- Confirm with RCH/DI date and time for vaccination and that adequate number of vaccines are ordered and properly storage in RCH/DI

Vaccination in RCHs/DIs

- HP 衛生防護中心 Centre for Health Protection
- Ensure the recipients' vaccination record have been checked through eHS(Subsidies), vaccination card or history from recipients or relatives (pay particular attention to those who are newly-admitted to the RCH)
- VMO should be present and oversee the whole vaccination process, ensure personnel involved in vaccination are qualified/trained to perform vaccination duties
- Ensure the personnel involved in vaccination are qualified and trained in emergency management of severe immediate reactions and are equipped to do so and to supervise and stand-by for emergency

Vaccination in RCHs/DIs

- HP 衛生防護中心 Centre for Bealth Protection
- Read carefully the vaccine information, noting especially the contraindications, route of administration, dosage and expiry date, storage and handling
- Check the consent form, identity of the recipients and the medical conditions of the recipients before vaccination
- Counterchecking identity of residents against consent form and identity document before vaccination
- Ensure correct vaccines (SIV or pneumococcal; SIV for ≥ or < 36 months)
 to be given to recipients and the vaccines are unexpired and in good
 condition
- Injection of one kind of vaccine to all recipients before the other vaccine
- Separate injection date for SIV and pneumococcal vaccine (in different injection sites, common practice: left SIV vaccine; right pneumococcal vaccine左流右肺)

此百由服務使用者保存

院舍防疫注射計劃 2017/18 季節性流威及肺炎球菌疫苗接種資訊

接種疫苗的好處

由季節性流越或肺炎球菌所引起的呼吸道越染是常見的疾病,而免疫力較低的人和長者一旦染上流越,可能會出現嚴重併發症,甚至死亡。當流越大流行時,繼發性細菌性肺炎是導致患病和死亡的重要原因。接種疫苗是其中一種預防季節性流越、肺炎球蘭越染及其併發症的有效方法,亦可減低長者入院和死亡的風險。

季節性流咸及疫苗

流行性感冒(簡稱流感)是一種由病毒引致的疾病。流感可由多種類型的流感病毒引起。而本港最常見的流感病毒是H1N1及H3N2兩種甲型流感和乙型流感。本港全年都有流感病例,但一般在一月至三月及七月至八月較為常見。病毒主要透過呼吸道飛沫傳播,思者會出現發燒、喉嚨痛、咳嗽、頭痛、肌肉疼痛、流鼻水及全身疲倦等症狀。患者一般會在2至7天内自行痊癒。然而,免疫力較低的人和長者一旦染上流感,可能會出現支氣管多或肺炎等併發症,嚴重時更可導致死亡。健康人士亦有可能跟上嚴重流咸。

■ 季節性流感疫苗成分

院舍防疫注射計劃在2017/18年度提供的疫苗包括以下成分:

- 類甲型/密歇根/45/2015 (H1N1)pdm09 類病毒
- 類甲型/香港/4801/2014 (H3N2) 類病毒
- 類乙型/布利斯本/60/2008 類病毒
- 類乙型/布吉/3073/2013 類病毒

院舍防疫注射計劃2017/18採用的是滅活流感疫苗。

■ 建議劑量

9歳或以上人士,每年都要接種一劑季節性流咸疫苗。

為確保對季節性流感產生足夠的免疫力,凡9歲以下從未接種過季節性流感疫苗的兒童,建議應接種兩劑季節 性流感疫苗,而兩劑疫苗的接種時間應至少相隔四個星期。在2016/17年度或以前曾接種季節性流感疫苗的9歲 以下兒童,在2017/18年度只需接種一劑疫苗。

■ 誰不宜接種滅活季節性流感疫苗

對曾接種的滅活流感疫苗或其他疫苗成分有過敏反應的人士,都不宜接種滅活季節性流感疫苗。對雞蛋有輕度 過敏的人士如欲接種流感疫苗,可於基層醫療接種滅活流感疫苗,而曾對雞蛋有嚴重過敏反應的人士,應先由 過敏學/免疫學專科醫生就雞蛋敏感進行評估,並因應臨牀需要,由過敏學/免疫學專科醫生接種滅活流感疫 苗。至於出血病症患者或服用抗凝血劑的人士,應請數醫生。如接種當日因病發燒,可延遲至病癒從、接種的 苗。

■ 孕婦為何應接種季節性流咸疫苗

孕婦接種流感疫苗可減少孕婦及嬰兒患上急性呼吸道感染的機會。世界衞生組織認為孕婦接種滅活季節性流感 疫苗是安全的,現時並沒有證據顯示婦女接種滅活流感疫苗(即使在妊娠第一期)會對胎兒造成不良影響。不 過,由於減活流感疫苗含有活性病毒,孕婦不應接種減活流感疫苗。如孕婦有疑問,可向婦產科醫生查詢。院 舍防疫注射計劃2017/18採用的是滅活流感疫苗。

■ 滅活季節性流藏疫苗可能有的副作用

滅活季節性流感疫苗十分安全,除了接種處可能出現痛楚、紅腫外,一般並無其他副作用。部分人士在接種後 6至12小時內可能出現發燒、肌肉疼痛,以及疲倦等症狀,這些症狀通常會在兩天內減退。若持續發燒或不適, 請諮詢醫生。如出現風疹塊、口舌腫脹或呼吸困難等較為罕見的嚴重過敏反應,患者必須立即求醫。

一些罕見但嚴重的不良情況也可能在接種流感疫苗後出現,如吉-巴氏綜合症(每100萬個接種疫苗的人士中約有一至兩宗個案),以及嚴重過敏反應(每分發1000萬劑疫苗中有9宗個案)。不過,接種流感疫苗與這些不良情況未必一定有因果關係。有研究顯示在感染流感後出現吉-巴氏綜合症的風險(每100萬個威染者有17.20宗個案)據比接種流感疫苗後(每100萬個接種疫苗的人士中有1.03宗個案)為高。

肺炎球菌感染及疫苗

肺炎球菌感染泛指由肺炎鏈球菌(或肺炎球菌)引致的疾病。雖然肺炎球菌一般只會引起較輕微的病症如實炎 和中耳炎,但它亦可引致嚴重甚至致命的侵入性肺炎球菌疾病如人血性肺炎、敗血病和腦膜炎。幼兒及長者患 上侵入性肺炎球菌疾病後病情通常較為嚴重。肺炎球菌感染一般以抗生素治療。由於此病菌對抗生素的抗藥性 逐漸增加,因此預防肺炎球菌感染比治療更為重要。接種肺炎球菌疫苗是預防肺炎球菌疾病其中一種最有效的 方法。

於2017/18院舍防疫注射計劃下,致府會提供13價肺炎球菌結合疫苗(PCV13)及23價肺炎球菌多醣疫苗(23vPPV) 給符合資格接種的院友。凡居住在安老院舍,以及居住在發疾人士院舍而年滿65歲:

- (1) 如曾經接種過23 價肺炎球菌多醣疫苗的院友,於接種23 價肺炎球菌多醣疫苗一年後,均可獲安排免費接種一劑13 價肺炎球菌結合疫苗。
- (2) 如曾經接種過13價肺炎球菌結合疫苗的院友,於接種13價肺炎球菌結合疫苗一年後,均可獲安排免費 接種一虧23價肺炎球菌多醛疫苗。
- (3) 如從未接種過13 價肺炎球菌結合疫苗或23 價肺炎球菌多離疫苗的院友,均可獲安排免費接種13 價肺炎球菌結合疫苗,並於接種13 價肺炎球菌結合疫苗一年後,免費接種一劑23 價肺炎球菌多醣疫苗。

■ 誰不宜接種肺炎球菌疫苗

如曾在接種肺炎球菌疫苗後或對該疫苗的成分或含有白喉類毒素的疫苗出現嚴重過敏反應,則不應繼續接種。 在許可的情況下,應在進行脾臟切除手術前最少兩周完成肺炎球菌疫苗接種。在進行癌症化療或電療期間不應 接種肺炎球菌疫苗。

■ 13 價肺炎球菌結合疫苗 (PCV13) 可能會出現的不良反應

13價肺炎球菌結合疫苗已獲證實安全。常見不良反應包括接種疫苗部位可能在接種後短時間內出現輕微腫脹及 疼痛,但大部分反應在兩天內會自然消退。一些可能會出現輕微發熱、疲勞、頭痛、發冷或肌肉疼痛。在針口 位置出現嚴重的疼痛或移動手臂困難是非常罕見的。

■ 23 價肺炎球菌多醣疫苗 (23vPPV) 可能會出現的不良反應

肺炎球菌校面已獲證實安全。常見不良反應包括接種疫苗部位可能在接種後短時間內出現輕微腫脹及疼痛,但 大多面在兩、內口然消退。發燒、肌肉痛及其他更嚴重的局部反應並不常見。

肺炎水菌疫苗可否與季節性流感疫苗一同注射

肺炎球菌疫苗可與季節性流國疫苗一同接種,但應使用不同針筒在不同部位注射。

收集個人資料目的

收集資料的目的

- 1. 所提供的個人資料,會供政府作下列一項或多項用途:
 - (a) 開設、處理及管理醫健通(資助)戶口,注射費付款,以及執行和監察院舍防疫注射計劃,包括但不限於通過電子程序與入境事務處的數據核對;
 - (b) 作統計和研究用途: 以及
 - (c) 作法例规定、授權或准許的任何其他合法用途。
- 就是次到診所作出的疫苗接種記錄,可給公營及私營醫護人員取得,作為決定及提供服務使用者所需要的醫療服務的 用途。
- 3. 提供個人資料乃屬自願性質。如果你不提供充份的資料,可能無法在此計劃下獲得疫苗接種。

接受轉介人的類別

 你所提供的個人資料,主要是供政府內部使用,但政府亦可能於有需要時,因以上第1、2段所列目的而向其他機構 和第二者人士按轄。

查閱個人資料

根據《個人資料(私隱)條例》第18 和第22條以及附表1 保障資料原則第6原則所述,你有權查閱及修正你的個人資料。本署應查閱資料要求而提供資料時,可能要徵收費用。

本始

如欲查閱或修改有關提供的個人資料,請聯絡:九雜亞皆老街147C四樓衛生防護中心疫苗計劃辦事處行政主任電話號碼:2125 2125

2017年7月修訂 28

院舍編號	
	(由院舍填寫
過往接種記錄	最近一次接利 日期 (月/年
季節性流感疫苗	/
13 價肺炎球菌結合疫苗	/
23 價肺炎球菌多醣疫苗	/
(由到診註冊醫生	填寫)
	MARIA MENT

★ 衞生署 Œ

院舍防疫注射計劃 疫苗接種同意書

醫健通(資助)系統交易編號		
1. TR		
2. TR		
	2017/18 年度	
接種記錄	接種日期	
	(日/月/年)	
(三價)季節性流感疫苗	/ /	
(四價)季節性流感疫苗	/ /	
13 價肺炎球菌結合疫苗	1 1	
23 價肺炎球菌多醣疫苗	1 1	
到診註冊醫生姓名:		

- 注意: 1. 請用黑色或藍色筆以正楷填寫本同意書。
 - 填妥的同意書須於接種日期最少十個工作天前交予到診註冊醫生,以透過醫健通(資助)系統查核服務使用者的疫苗接種記錄。
 - 3. 到診註冊醫生須於接種疫苗後妥善保存同意書的正本。

甲部 服務使用者個人資料	(以身份證明文件)	折載者為準)			
姓名	(中文)				(英文)
中文電碼 (如適用)			性別	□男	□女
出生日期日月	年				
身份證明文件 (請選擇下列注: 年滿十一歲的香港居民必	们其中一項身份證明文件 須填寫香港身份證或豁			"號及填寫所需資	料)
□ 香港身份證號碼		()	簽發日期	日月	年
□ 豁免登記證明書編號					
檔案編號					
豁免登記證明書上的 香港身份證號碼			簽發日期	日月	CA P
□ 香港出生證明書登記號碼					رر
□ 香港特別行政區 □港證號碼			簽發日期	H H	年
□ 香港特別行政區簽證 身份書號碼			簽發日期	日 月	年
□ 香港居留期許可證 (ID 235B)出生記項編號		()	獲准逗留至		年
□ 非香港旅遊證件號碼					4-
簽證/參考編號			- ()	
□ 生死登記處發出被領養兒 童的領養證明書記項編號					

∠部 承諾及聲明 [只須填寫第(一)至(四)其中一項] 如服務使用者是十八歲或以上、精神上有行為能力、請填寫第(一)部分。 如服務使用者是十八歲以下或精神上無行為能力、請填寫第(二)部分。 如服務使用者是十八歲以下或精神上無行為能力而院含未能聯絡其家長/監護人、請填寫第(三)或(四)部分。				
(一) 供服務使用者填寫 (請在適當的位置加上"×"號)			適當的位置加上"×"號)	
□ 本人為安老/殘疾人士院舍的職員,現同意接種季節性流感疫苗。 或 □ 本人為 □ 安老 □ 殘疾人士 院舍的院友/宿生,現同意接種以下疫苗:				
□ 季節性流感疫苗 □ 13 價肺炎球菌結合疫苗 □ 23 價肺炎球菌多醣疫苗				
本人在此同意書中所提供的資料全屬真確。本人同意把此同意書的個人資料及向醫護人員所提供的資料供政府用				
於收集個人資料目的所述的用 服務使用者簽署	迷。 [<u> </u>		
(如不會讀寫,可印上指模; 而見證人須填寫內部)		日期		
(二)供服務使用者的家長	/監護人填寫	(請在達	適當的位置加上"×"號)	
本人確認以上服務使用者為 🗌 安老 🗎 殘疾人士 院舍的院友/宿生,現同意以上服務使用者接種以下疫苗:				
□ 季節性流感疫苗 □ 13 價肺炎球菌結合疫苗 □ 23 價肺炎球菌多醣疫苗				
如服務使用者是九歲以下,並從未接種季節性流感疫苗,本季度可接種兩劑季節性流感疫苗。如在以往季度已接 種季節性流感疫苗,本季度只需接種一劑(即單劑)季節性流感疫苗。今次是:				
□ 單劑季節性流感疫苗				
本人在此同意書中所提供的資料全屬真確。本人同意把此同意書內服務使用者的個人資料及向醫護人員所提供的資料供政府用於收集個人資料目的所述的用途。				
家長/監護人簽署		家長/監護人姓名		
(如不會讀寫,可印上指模;		香港身份證號碼或		
而見證人須填寫丙部)		社會福利署職員編號		
與服務使用者的關係	□ 家長 □ 監護人	日期		
(三)供服務使用者的親屬填寫 (請在適當的位置加上"×"號)				
本、圖賞試包未能聯絡服務使用者的家長/監護人,並同意安排為服務使用者接種以下疫苗:				
季節性流感疫苗及/或	□ 13 價肺炎球菌結	合疫苗 或 □ 23 價阱	i炎球菌多醣疫苗	
親屬簽署		親屬姓名		
與服務使用者的關係		日期		
香港身份證號碼 (例: A123)				
(四)供院舍負責人/主管	填寫			
本人曾嘗試但未能聯絡服務	使用者的家長/監護人以安	排為服務使用者接種疫苗	首。	
院舍負責人/主管簽署		院舍印鑑		
院舍負責人/主管姓名				
職級				
<u>丙部</u> 供見證人填寫(如適用)				
本人見證此同意書已在服務使用者或服務使用者的家長/監護人面前朗讀及解釋。				
見證人簽署		見證人姓名		
香港身份證號碼 (例: A123)		日期		

2017年9月修訂



After vaccination

- Proper record: vaccination card, put down vaccination date in consent form, check and sign on the consent list
- Make claims in eHS (Subsidies) within 7 days of injection (to keep records in eHS (S) updated)
- Report vaccination incidents to Vaccination Office of DH as soon as possible
- Report AEFI if any
- Keep true copies of consent forms for seven years





Points to note

- Only use vaccines supplied by DH
- Provide vaccination service on-site in RCHs/DIs only
- Do not charge additional fee from residents/PIDs or staff
- Do not share the vaccination fee with RCH/DIs
- Make Claims under RVP instead of Vaccination Subsidy Scheme (VSS)
- Pre- and post-payment checking



Vaccination to mentally-incapacitated residents without guardians

 Either Part B (III) or Part B (IV) of the consent form should be completed

Part B (III)- To be completed by Relative of the Recipient

If relative (if any) confirmed that parent/guardian of the mentally-incapacitated resident cannot be contacted, relative should complete and sign Part B (III) of the consent form to acknowledge that VMO will provide vaccination to the resident

Part B (IV)- To be completed by In-charge Person of RCH

- If the In-charge of RCH confirmed that the parent/guardian of the mentally-incapacitated resident cannot be contacted, the In-charge should complete and sign Part B (IV) of the consent form
- Vaccination can be administered if VMO considers the vaccination is to the best interest of the resident/PID (#1)

Consent form for RCH

Part B(III): If relative (if any) confirmed that parent/guardian of the mentally-incapacitated resident cannot be contacted can be contacted, relative should complete and sign Part B (III) of the consent form to acknowledge that VMO will provide vaccination to the resident

Part B(IV): If the In-charge of RCH

١	護中心
	4th Protection

(二)供加務使用有的稅屬填稿			
本人曾嘗試但未能聯絡服務使用者的家長/監護人			
□ 季節性流感疫苗及/或	□ 13 價肺炎球菌結合疫苗 或 □ 23 價肺炎球菌多醣疫苗		
親屬簽署	親屬姓名		
與服務使用者的關係	日期		
香港身份證號碼 (例:A123)			
(四)供院舍負責人/主管填寫			
本人曾嘗試但未能聯絡服務使用者的家長/監護人以安排為服務使用者接種疫苗。			
院舍負責人/主管簽署	陳大文 院舍印鑑 RCH ₹ RCH ₹		
院舍負責人/主管姓名	陳大文 Zyyyyyyyy		
職級	主管		

SAMPLE

Confirmed that the parent/guardian of the mentally-incapacitated resident cannot be contacted, the In-charge should complete and sign Part B (IV) of the consent form




- Arrange mop-up with VMO
- Refer to GOPCs for mop up vaccination starting from 1.1.2018




Information prepared for VMOs



- Terms and conditions of agreement
- Doctors' Guide (on-line version on CHP website)
- FAQs
- 5 steps of checking vaccination records in eHS(S)







RVP information



http://www.chp.gov.hk/en/view_content/23543.html

3 October 2017

Information for Visiting Medical Officers (VMO)

院舍防疫注射計劃 Residential Care Home 2047/48

Residential Care Home Vaccination Programme 2017/18



Residential Care Home Vaccination Programme 2017/18 will commence on 25 October 2017.
All residentsand staff of Residential Care Homes for Elderly (RCHE) and Residential Care Homes for Persons with Disabilities (RCHD), non-institutionalised Persons with Intellectual Disability (PID), receiving services in designated institutions serving PID (such as day activity centres, sheltered workshops and special schools for PID) are eligible to receive free Seasonal Influenza Vaccination provided by Visiting Medical Officers (VMOs) enrolled to the programme. Residents of RCHE and residents of RCHD who aged 65 years or above are eligible for one dose of free 13-valent pneumococcal polysacchanide vaccine (23-VPV).

Enrolment Information

(including Covering Notes for Application, Appendix A - Application Form, Appendix B - Authority for Payment to a Bank and Appendix K - Definitions, Terms and Conditions of Agreement, and Schedule)

Change Form

Doctors' Guide (Coming soon)

Vaccination Consent Form (Residential Care Home Vaccination Programme 2017/18) (PDF Version) (Word Version

Vaccination Consent Form (Seasonal Influenza Vaccination for Persons with Intellectual Disability (Non-Institutionalised) (2017/18) under Residential Care Home Vaccination Programme) (<u>PDF version</u>) (<u>Miord version</u>)

Public-Private Partnership Programmes for Healthcare Services Comption Prevention Guide for Service Providers

FAQs for Visiting Medical Officers (Coming soon)

Briefing Session Powerpoint -

- Seasonal Influenza Vaccination
- Pneumococcal Vaccination
- RVP
- Five steps of checking vaccination record in eHealth System (Subsidies) (Coming soon)

Five steps of checking vaccination record in eHealth System (Subsidies) (Chinese interface) (Coming soon)

Enquiry





Contact us

Vaccination Office

Tel: 2125 2125

• Fax: 2713 6916

Email: vacs@dh.gov.hk

Address: 2/F, 147C, Argyle Street,

Kowloon





THANK YOU

