


A concise guide

Whether I can have BioNTech vaccine “Comirnaty”













Comirnaty should not be given

-  History of allergic reaction to the active substance or any of the other ingredients of the Comirnaty vaccine



Precautions – Please consult your doctor first

-  History of a severe allergic reaction or breathing problems after any other vaccine injection or after being given Comirnaty
-  Have ever fainted following any needle injection
-  Acute febrile diseases
-  Severe illness or infection with high fever
-  Bleeding problem or bruise easily
-  Using a medicine to prevent blood clots
-  A weakened immune system, because of a disease such as HIV infection or a medicine such as corticosteroid that affects the immune system
-  If using, have recently used or might use any other medicines or have recently received any other vaccine
-  Pregnant or lactating women*
-  Persons aged below 16 years



The above information is prepared by the Department of Health based on the product insert from the vaccine supplier

* On 22 April 2021, the Scientific Committees under CHP updated the Consensus Interim Recommendations on the Use of COVID-19 Vaccines. Given there are no known risks associated with administering mRNA COVID-19 vaccines to lactating women, they are recommended to receive the BioNTech/Comirnaty vaccines (mRNA COVID-19 vaccines) as for the rest of the population. Pregnant women who consider BioNTech/Comirnaty vaccines should consult their obstetricians on the risks and benefits of vaccination.



हिन्दी



नेपाली



اردو



ไทย



Bahasa Indonesia



Tagalog



සිංහල භාෂාව



বাংলা ভাষা



Tiếng Việt