

Data dictionary of report on invasive pneumococcal disease

Column	Type	Description
Year	Number	Year
Month	Number	Month
Monthly_total_number_of_cases	Number	Monthly total number of invasive pneumococcal disease cases
Number_of_cases_less_than_2	Number	Number of invasive pneumococcal disease cases – <2 years
Number_of_cases_2_4	Number	Number of invasive pneumococcal disease cases – 2-4 years
Number_of_cases_5_17	Number	Number of invasive pneumococcal disease cases – 5-17 years
Number_of_cases_18_49	Number	Number of invasive pneumococcal disease cases – 18-49 years
Number_of_cases_50_64	Number	Number of invasive pneumococcal disease cases – 50-64 years
Number_of_cases_65_higher	Number	Number of invasive pneumococcal disease cases – 65 years or above
Serotype_1	Number	Number of invasive pneumococcal disease cases caused by serotype 1
Serotype_2	Number	Number of invasive pneumococcal disease cases caused by serotype 2
Serotype_3	Number	Number of invasive pneumococcal disease cases caused by serotype 3
Serotype_4	Number	Number of invasive pneumococcal disease cases caused by serotype 4
Serotype_5	Number	Number of invasive

		pneumococcal disease cases caused by serotype 5
Serotype_6A	Number	Number of invasive pneumococcal disease cases caused by serotype 6A
Serotype_6B	Number	Number of invasive pneumococcal disease cases caused by serotype 6B
Serotype_7F	Number	Number of invasive pneumococcal disease cases caused by serotype 7F
Serotype_8	Number	Number of invasive pneumococcal disease cases caused by serotype 8
Serotype_9V	Number	Number of invasive pneumococcal disease cases caused by serotype 9V
Serotype_9N	Number	Number of invasive pneumococcal disease cases caused by serotype 9N
Serotype_10A	Number	Number of invasive pneumococcal disease cases caused by serotype 10A
Serotype_11A	Number	Number of invasive pneumococcal disease cases caused by serotype 11A
Serotype_12F	Number	Number of invasive pneumococcal disease cases caused by serotype 12F
Serotype_14	Number	Number of invasive pneumococcal disease cases caused by serotype 14
Serotype_15B	Number	Number of invasive pneumococcal disease cases caused by serotype 15B
Serotype_17F	Number	Number of invasive pneumococcal disease cases caused by serotype 17F

Serotype_18C	Number	Number of invasive pneumococcal disease cases caused by serotype 18C
Serotype_19A	Number	Number of invasive pneumococcal disease cases caused by serotype 19A
Serotype_19F	Number	Number of invasive pneumococcal disease cases caused by serotype 19F
Serotype_20	Number	Number of invasive pneumococcal disease cases caused by serotype 20
Serotype_22F	Number	Number of invasive pneumococcal disease cases caused by serotype 22F
Serotype_23F	Number	Number of invasive pneumococcal disease cases caused by serotype 23F
Serotype_33F	Number	Number of invasive pneumococcal disease cases caused by serotype 33F
Serotype_Others	Number	Number of invasive pneumococcal disease cases caused by other serotypes
Serotype_Unknown	Number	Number of invasive pneumococcal disease cases with unknown serotypes

Remarks:

- (1) Figures are provisional and subject to adjustment.
- (2) Serotypes coverage of different pneumococcal vaccines:
 - (a) 13-valent pneumococcal conjugate vaccine: 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F, 23F
 - (b) 15-valent pneumococcal conjugate vaccine: 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F, 22F, 23F, 33F
 - (c) 23-valent pneumococcal polysaccharide vaccine: 1, 2, 3, 4, 5, 6B, 7F, 8, 9N, 9V, 10A, 11A, 12F, 14, 15B, 17F, 18C, 19A, 19F, 20, 22F, 23F, 33F