監測及流行病學處



Surveillance And Epidemiology Branch

本署檔號 Our Ref.: (22) in DH SEB CD/8/22/1 II

來函檔號 Your Ref.:

電 話 TEL.:

傳 真 FAX No.: (852) 2711 4847 25 March 2010

To Principals / Persons-in-charge,

<u>Vigilance against Hand, Foot and Mouth disease (HFMD)</u> and Enterovirus 71 (EV71) infection

I would like to urge you to be vigilant against HFMD outbreaks and EV71 infection in your institution/organization as we have recorded an increased number of HFMD outbreaks recently. In March this year (as of March 23), the Centre for Health Protection received 21 reports of HFMD institutional outbreak, which is higher than the number of 10 to 11 outbreaks reported in the previous two months (January and February). The 21 institutional outbreaks involved 17 kindergartens/child care centres, 2 primary schools, 1 crèche and 1 special school, affecting a total of 85 people. The sentinel surveillance system based at child care centres and kindergartens has also detected a significant increase in HFMD activity recently. As of March 23, 7 cases of EV71 infection were reported this year, all without severe complication.

HFMD is a viral infection commonly seen in children. The infection can occur throughout the year but is more commonly found in summer months from May to July. In the past few years, a smaller winter peak of HFMD activity also occurred from October to December. The main symptoms are fever, sore throat and skin rash over the hands and feet. Although the illness is self-limiting in most cases, some cases may be caused by EV71 virus and may be associated with complications like myocarditis, encephalitis or poliomyelitis-like paralysis. No specific treatment is available for HFMD. Good hygiene practices are the most important measures to prevent HFMD and EV71 infection.

To prevent HFMD outbreak and EV71 infection in your institution, I would recommend you taking the following steps:

衛生防護中心乃衞生1. 署轄下執行疾病預防 及控制的專業架構 The Centre for Health Protection is a professional arm of the Department of Health

for disease prevention and control Maintain good communication with parents and help them to understand the need to keep children at home for rest when they develop fever or rash. Advise them to see doctor promptly if they develop symptoms suggestive of HFMD.

- 2. Encourage staff to screen for sick children before they enter the school. Children with HFMD should be excluded from schools until fever has subsided and all the vesicles have dried and crusted. (As an extra precaution, children with EV71 infection are advised not to go to school for another two weeks after all symptoms subsided, since the virus may be excreted in stool for some weeks and is associated with a higher risk of complications.)
- 3. Supervise children on personal hygiene practices, especially on how to wash the hands properly with liquid soap before meals and after going to toilet, cover nose and mouth while sneezing or coughing, and proper disposal of nasal and mouth discharge.
- 4. Avoid high risk toys such as ballpools. Clean and disinfect frequently touched surface, furniture and toilets regularly with diluted bleach of 1:99 concentration (mixing 1 part of 5.25% household bleach with 99 parts of water). Disinfect toys/places which are contaminated by secretions or excreta with diluted household bleach of 1:49 concentration.
- 5. Remind staff to wash hands thoroughly with liquid soap and water after changing diapers for each child, to disinfect diaper-change area by diluted bleach, and to dispose soiled diapers properly.
- 6. Keep the environment clean and hygienic, and follow the Guidelines on Prevention of Communicable Diseases in Child Care Centres, Kindergartens, and Schools which is available at http://www.chp.gov.hk/files/pdf/School_full_eng_20090115.pdf
- 7. Last but not least, please also incorporate in your health education to children that, when they are having holidays outside Hong Kong, they should also remember to keep their hands clean and avoid touching vesicles on hands of other sick children.

If you suspect a HFMD outbreak (e.g. two or more children in the same class develop HFMD within a period of 7 days), please inform the Central Notification Office of CHP as early as possible at Fax: 2477 2770 or Tel: 2477 2772. CHP will give advice on the management of such cases and take appropriate control measures. For more information, please visit the website of CHP at http://www.chp.gov.hk

We may consider to advise you to suspend classes for a period of 14 days when situation warrants. Examples of such scenarios include occurrence of further cases in an institution attended by a confirmed EV 71 case after stepping up control measures, OR occurrence of an EV71 case who is suffering from severe complication and the institution the child is attending has an associated HFMD outbreak.

Yours sincerely,

(Dr SK CHUANG)

Consultant Community Medicine (Communicable Disease)
Surveillance and Epidemiology Branch

Centre for Health Protection