

本署檔號 Our Ref. : (75) in DH CDB/8/35/1 Pt.4

12 May 2025

To Person-in-charge
Employment agencies

Dear Sir/Madam,

Vaccination of foreign domestic helpers against measles

We would like to enlist your support to promote measles vaccination among foreign domestic helpers (FDH) for protecting them and the local community against measles.

Measles is a vaccine preventable disease that remains common in many parts of the world. As global measles vaccination rates still fall short of pre-COVID-19 pandemic levels, cases have risen significantly in North America and Europe in recent months, affecting many unvaccinated individuals. In some Southeast Asian countries where measles is prevalent such as the Philippines, Thailand, Indonesia and Vietnam, thousands of cases were reported in the past six months.

With the consistently high measles vaccination coverage in Hong Kong, the risk of large-scale local outbreak is considered low at present. However, in the wake of measles resurgence worldwide, it is possible that some FDH who are not fully vaccinated may get infected in their home country and pass the infection to their employers and their families, especially infants who have not yet due for measles vaccination.

To prevent the spread of measles in the community, we would like to enlist your help to inform potential employers of FDH as well as FDH who are preparing to work in Hong Kong of the risk of measles and advise non-immune FDH to get vaccinated before they arrive in Hong Kong. In general, people can be considered as non-immune to measles if they

- (i) did not have the infection confirmed by laboratory test before, and
- (ii) had not received two doses of measles-containing vaccines in the past, or have unknown vaccination status or unknown immunity against measles.



You are advised to request FDH to produce documented evidence of immunity against measles or proof of receipt of two doses of measles-containing vaccine. Any FDH who are non-immune to measles should receive two doses of measles-containing vaccine prior to their arrival.

We are aware that some employment agencies may arrange pre-employment medical check-up for FDH. If your agency is offering this service, please consider incorporating assessment of the immune status against measles for FDH as well as Measles, Mumps and Rubella (MMR) vaccination for non-immune FDH in the medical check-up package.

Please routinely distribute the attached 2-page letter together with the 2-page information sheet on MMR vaccination to all potential employers who patronise your company for their information, e.g. putting them into the information pack prepared by your company for employers. The softcopies are available on the following CHP webpage: <https://www.chp.gov.hk/en/features/100570.html>. Additionally, if you would like to request copies of measles pamphlet to put it in your office for your clients, you can complete the online request form at <https://www2.chp.gov.hk/eform/Notice.aspx?LANG=EN>.

Thank you for your assistance. We hope you will join us as partners in strengthening our efforts to protect the health of our community against vaccine-preventable diseases.

Yours faithfully,



(Dr. AU Ka-wing, Albert)
for Controller, Centre for Health Protection
Department of Health

Foreign domestic helpers are advised to receive Measles, Mumps and Rubella (MMR) vaccination

Measles infection is a highly infectious and severe viral infection that may affect any person who is not immune to the infection. Rubella may cause anomalies in the developing foetus (“congenital rubella syndrome”) if women are infected during the first three months of pregnancy. Persons infected with measles or rubella may pass the infection to their friends and relatives, their employers and their household members, especially infants who have not yet received vaccination. We are aware that some foreign domestic helpers may not have had measles and rubella immunisation in their home country before they arrive in Hong Kong. Measles, Mumps and Rubella (MMR) vaccine is a safe and effective vaccine to prevent measles, mumps and rubella infections. To protect themselves and others, we urge foreign domestic helpers to receive MMR vaccination.

In general, people can be considered as non-immune to measles/rubella if (i) they did not have the infection confirmed by laboratory test before, and (ii) they had not been fully vaccinated against measles/rubella, or have unknown vaccination status or unknown immunity against measles. **To prevent infection and transmission in the community, we advise all foreign domestic helpers who are non-immune to either measles or rubella to receive MMR vaccine before they arrive in Hong Kong.**

For more information on MMR vaccination, please visit the Family Health Service's website: http://www.fhs.gov.hk/english/health_info/child/486.html

Measles

Measles is caused by the measles virus and spread by droplet or direct contact with nasal or throat secretions of infected persons, and less commonly, by articles soiled with nose and throat secretions. Affected persons will present initially with tiredness, fever, cough, red eyes and white spots inside the mouth. This is followed by a red blotchy skin rash 3-7 days later. The rash usually spreads from the face down to the rest of the body. In severe cases, middle ear, lungs and brain can get involved and lead to serious consequences or even death.



Mumps

Mumps is caused by the mumps virus which affects the salivary glands and sometimes the nerve tissue. It is spread by droplet and direct contact with the saliva of an infected person. The disease is characterised by fever and painful swelling of the salivary glands (usually at the cheeks). Sometimes, there may be complications like deafness, or infection of the brain. Adolescents might develop infection of the testicles or ovaries, which can affect fertility.

Rubella

Rubella, also known as “German Measles”, is caused by rubella virus. It can be transmitted by contact with secretions from nose and pharynx of infected persons through droplet spread or direct contact with patients. Symptoms are usually mild. Children usually present with fever, headache, diffuse rash and enlargement of lymph nodes behind the ears or in the neck. Sometimes there may be no symptoms at all. Complications include arthritis, thrombocytopenia and encephalitis.

Rubella infection produces anomalies in the developing fetus. Congenital rubella syndrome (CRS) is likely to occur in infants born to women who got infected during the first three months of pregnancy. CRS is characterised by deafness, blindness, heart malformations and mental retardation.

Centre for Health Protection

Department of Health

May 2025