

Foreign domestic helpers are advised to receive Measles, Mumps and Rubella (MMR) vaccination

Measles infection is a highly infectious and severe viral infection that may affect any person who is not immune to the infection. Rubella may cause anomalies in the developing foetus (“congenital rubella syndrome”) if women are infected during the first three months of pregnancy. Infected persons may pass the infection to their friends and relatives, their employers and their families, especially infants who have not yet received vaccination. We are aware that some foreign domestic helpers may not have had measles and rubella immunisation in their home country before they arrive in Hong Kong. Measles, Mumps and Rubella (MMR) vaccine is a safe and effective vaccine to prevent measles, mumps and rubella infections. To protect themselves and others, we urge foreign domestic helpers to receive MMR vaccination.

In general, people can be considered as non-immune to measles/rubella if (i) they did not have the infection confirmed by laboratory test before, and (ii) they had not been fully vaccinated against measles/rubella or have unknown vaccination status. **To prevent infection and transmission in the community, we advise all foreign domestic helpers who are non-immune to either measles or rubella to receive MMR vaccine, preferably before they arrive in Hong Kong. If this is not possible, they can consult a doctor after they have arrived in Hong Kong.** MMR vaccines (or other combination vaccines which also contain varicella component to prevent chickenpox infection) are available in private clinics in Hong Kong.

For more information on MMR vaccination, please visit the Family Health Service's website: http://www.fhs.gov.hk/english/health_info/child/486.html.



Measles

Measles is caused by the measles virus and spread by droplet or direct contact with nasal or throat secretions of infected persons, and less commonly, by articles soiled with nose and throat secretions. Affected persons will present initially with tiredness, fever, cough, red eyes and white spots inside the mouth. This is followed by a red blotchy skin rash 3-7 days later. The rash usually spreads from the face down to the rest of the body. In severe cases, middle ear, lungs and brain can get involved and lead to serious consequences or even death.

Mumps

Mumps is caused by the Mumps virus which affects the salivary glands and sometimes the nerve tissue. It is spread by droplet and direct contact with the saliva of an infected person. The disease is characterized by painful swelling of the salivary glands, usually at the cheek(s), and fever. Sometimes, there may be complications like deafness, or infection of the brain. Adolescents might develop infection of the testicles or ovaries, which can affect fertility.

Rubella

Rubella, also known as “German Measles”, is caused by Rubella virus. It can be transmitted by contact with secretions from nose and pharynx of infected persons through droplet spread or direct contact with patients. Symptoms are usually mild. Children usually present with fever, headache, diffuse rash and enlargement of lymph nodes behind the ears or in the neck. Sometimes there may be no symptoms at all. Complications include arthritis, thrombocytopenia and encephalitis.

Rubella infection produces anomalies in the developing fetus. Congenital rubella syndrome (CRS) is likely to occur in infants born to women who got infected during the first three months of pregnancy. CRS is characterised by deafness, blindness, heart malformations and mental retardation.

Centre for Health Protection

Department of Health

May 2018