Latest situation of COVID-19 (as of 1 November 2022)

The Centre for Health Protection (CHP) of the Department of Health (DH) today (1 November) announced the latest epidemic situation of COVID-19. As of 0.00am, 1 November 2022, the CHP was investigating 3981 additional locally acquired cases tested positive for the SARS-CoV-2 virus, including 1052 cases tested positive by nucleic acid tests and 2929 cases tested positive by rapid antigen tests (RATs) in the past 24 hours. Separately, 437 additional imported cases were reported, including 412 cases tested positive by nucleic acid tests and 25 cases tested positive by RATs. So far, Hong Kong has recorded a total of 999663 and 923463 cases tested positive by nucleic acid tests and RATs respectively for the SARS-CoV-2 virus.

Since the 5th wave (31 December 2021), 987032 cases and 923463 cases were tested positive by nucleic acid tests and rapid antigen tests respectively.

In the recent 7-day period from 26 October to 1 November 2022, an average of 1694.9 cases by nucleic acid tests were reported per day, as compared with 1622.0 cases per day reported in the previous 7-day period from 19 to 25 October 2022 (Figure 1(i)).

Daily number and 7-day moving average of reported cases (as of 1 November 2022)


Daily number of cases

— Daily number of cases
— 7-day moving average of cases
— 7-day moving average of cases
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 100000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 10000
— 100

Figure 1(i): Daily number and 7-day moving average of cases tested positive for SARS-CoV-2 virus by nucleic acid tests in 2022


Note: Re-positive cases are excluded in Figure 1(i).

Figure 1(ii): Daily number and 7-day moving average of cases tested positive for SARS-CoV-2 virus by rapid antigen tests




Note: Re-positive cases are excluded in Figure 1(ii).

Figure 1(iii): Daily number and 7-day moving average of cases tested positive for SARS-CoV-2 virus by nucleic acid tests in 2021




Note: Re-positive cases are excluded in Figure 1(iii).

Figure 1(iv): Daily number and 7-day moving average of cases tested positive for SARS-CoV-2 virus by nucleic acid tests in 2020



Note: Re-positive cases are excluded in Figure 1(iv).


Figure 2: Epidemic curve of cases tested positive for SARS-CoV-2 virus in Hong Kong since 31 December 2021



Note:

- 1. Specimen collection dates are used for cases without information of onset dates.
- 2. Cases still under investigation are excluded in Figure 2.
- 3. Starting from 29 August 2022, the CHP only verifies cases reported via the "Declaration System for individuals tested positive for COVID-19 using Rapid Antigen Test" by sampling with nucleic acid test.

Figure 3: Daily number of cases tested positive for SARS-CoV-2 virus reported in the past 4 weeks



Note:

Starting from 29 August 2022, the CHP only verifies cases reported via the "Declaration System for individuals tested positive for COVID-19 using Rapid Antigen Test" by sampling with nucleic acid test.


Table 1 shows the classification of cases reported since the 5th wave (since 31 December 2021).

Table 1: Number of cases tested positive for SARS-CoV-2 virus by nucleic acid tests and rapid antigen tests by classification

Reporting period	Imported case	Locally acquired case	Period total	
Since the 5th wave	35587 (1.86%)	1874908 (98.14%)	1910495 (100.00%)	
In the past 4 weeks				
05/10/2022-11/10/2022	2427 (7.67%)	29222 (92.33%)	31649 (100.00%)	
12/10/2022-18/10/2022	2579 (7.00%)	34240 (93.00%)	36819 (100.00%)	
19/10/2022-25/10/2022	2781 (7.31%)	35284 (92.69%)	38065 (100.00%)	
26/10/2022-01/11/2022	2886 (7.82%)	34012 (92.18%)	36898 (100.00%)	


Figure 4 shows the age and gender distribution of the cases (since the 5th wave).

Figure 4(i): Age and gender distribution of cases tested positive for SARS-CoV-2 virus by nucleic acid tests in Hong Kong



Note: Re-positive cases and cases pending investigation are excluded in Figure 4(i).

Figure 4(ii): Age and gender distribution of cases tested positive for SARS-CoV-2 virus by rapid antigen tests in Hong Kong



Source of data: Data from the Centre for Health Protection of the Department of Health with available information on age and gender.

Among the specimens received by the Public Health Laboratory Services Branch during 23 to 29 October for verification testing of local cases, about 0.1% and 91.3% of them (7-day moving average) are related to the sub-lineages BA.2.12.1 and BA.4/BA.5* (including suspected cases) of the Omicron mutant strain respectively.

Estimated proportion of Omicron mutant strain among local cases in the past 2 weeks 100.0% 90.0% 80.0% 70.0% 60.0% 7 - day moving average 50.0% 40.0% 30.0% 20.0% 10.0% 0.0% Specimen Receipt Date Suspected and confirmed BA.2.12.1 Suspected and confirmed BA.4/BA.5

Figure 5: Estimated proportion of Omicron mutant strain among local cases in the past 2 weeks


Note:

- 1. Related percentages are estimated from the specimens received by the PHLSB for verification testing of local cases.
- 2. Data may be subject to changes when there is new information available.

In addition, as of 1 November, PHLSB had identified 204 cases of sub-lineage XBB, 6 of XBD, 8 of BA.2.75.2, 6 of BA.4.6, 11 of BF.7 and 23 of BQ.1.1 among imported cases in Hong Kong, while 2 cases of sub-lineage XBB, 7 of XBD, 1 of BA.2.75.2 and 8 of BQ.1.1 have also been detected among local cases.

^{*}Based on sampling by PHLSB for further characterisation, among specimens related to BA.4/BA.5 received from 17 - 23 October 2022, 95.5% were BA.5. (to be updated weekly)

Figure 6: Weekly rates of positive cases tested by nucleic acid tests and rapid antigen tests (by age group) since the 5th wave



Note:

- 1. Both imported and re-positive cases are excluded in Figure 6.
- 2. Data in Figure 6 may be subject to changes when there is new information available.
- 3. Figure 6 (with data as of the preceding week) will be updated every Tuesday.

Table 2: Incidences of cases tested positive for SARS-CoV-2 virus by nucleic acid tests and rapid antigen tests by residential districts in 2022

Region	Cumulative Incidence	District	Cumulative Incidence	Jul	Aug	Sep	Oct
Hong	1733.0	Central and Western	1461.4	92.3	147.6	217.3	130.1
		Wan Chai	1353.7	89.8	161.4	213.7	137.6
Kong		Eastern	1896.9	124.2	223.8	285.2	177.6
		Southern	1889.1	136.6	200.6	265.0	174.8
	2205.1	Kowloon City	1842.6	102.4	199.2	257.9	155.1
		Kwun Tong	2444.3	127.5	232.4	294.7	167.5
Kowloon		Sham Shui Po	2164.8	109.8	178.7	238.4	132.4
		Wong Tai Sin	2409.4	121.8	220.7	284.7	152.6
		Yau Tsim Mong	1949.7	93.1	165.9	205.9	139.2
		Islands	1707.2	142.1	203.5	234.2	146.7
New		North	2134.4	158.9	285.5	340.5	185.8
Territories	2056.4	Sai Kung	1971.9	133.3	252.9	334.7	181.6
East		Sha Tin	2178.9	129.4	259.3	330.0	171.9
		Tai Po	2046.0	193.5	260.5	298.2	173.0
New Territories West	2164.6	Kwai Tsing	2327.6	109.0	181.5	241.4	138.7
		Tsuen Wan	2015.6	121.7	213.8	273.4	171.4
		Tuen Mun	2267.6	127.1	248.9	280.5	158.0
		Yuen Long	2038.3	135.1	237.8	301.0	162.4

Note:

- 1. Cases with multiple/pending/unknown residential address are excluded in Table 2.
- 2. Data in Table 2 are shown as number of cases per 10,000 population.
- 3. Table 2 (with data as of the preceding week) will be updated every Tuesday.

Table 3: Number of cases tested positive for SARS-CoV-2 virus reported among schools in the past 4 weeks

Donorting Daried	No. of schools with case(s) reported	No. tested positive reported by schools		
Reporting Period		Student	Staff	
02/10/2022 - 08/10/2022	1112	2972	528	
09/10/2022 - 15/10/2022	1224	3529	686	
16/10/2022 - 22/10/2022	1205	3595	602	
23/10/2022 - 29/10/2022	1229	3452	676	

Note:

- 1. Number of schools is deduplicated based on the reporting week.
- 2. Table 3 (with data as of the preceding week) will be updated every Tuesday.

Table 4: Number of cases tested positive for SARS-CoV-2 virus reported among residential care homes (RCHs) in the past 4 weeks

Donauting Davied	No. of RCHs with case(s) reported	No. tested positive reported by RCHs		
Reporting Period		Resident	Staff	
02/10/2022 - 08/10/2022	37	56	4	
09/10/2022 - 15/10/2022	41	59	4	
16/10/2022 - 22/10/2022	47	66	5	
23/10/2022 - 29/10/2022	47	64	5	

Note:

- 1. Number of RCHs is deduplicated based on the reporting week.
- 2. Table 4 (with data as of the preceding week) will be updated every Tuesday.

Since 31 December 2019, the CHP of the DH has recorded a total of 10410 fatal cases.

Since the 5th wave, a total of 10197 fatal cases have been recorded.

Table 5: Case fatality rate (CFR) by age group and vaccination status (since the 5th wave)


Age Group	CFR of locally acquired cases	CFR of locally acquired cases with history of at least 2 doses of COVID-19 vaccine	CFR of locally acquired cases with history of 1 dose of COVID-19 vaccine or unvaccinated
0-9	0.01%	0.00%	0.01%
10-19	0.01%	0.00%	0.01%
20-29	0.01%	0.01%	0.02%
30-39	0.01%	0.00%	0.03%
40-49	0.02%	0.01%	0.11%
50-59	0.09%	0.04%	0.48%
60-69	0.32%	0.10%	1.20%
70-79	1.28%	0.37%	3.30%
80+	8.14%	2.65%	12.47%
Overall	0.55%	0.12%	1.91%

Source of data: Data from the Centre for Health Protection of the Department of Health with available information on age and vaccination status.

Note: Table 5 (with data as of the preceding week) will be updated every Tuesday.

Figure 7 shows the countries/areas visited by the cases tested positive by nucleic acid tests reported in the past 4 weeks with travel history outside Hong Kong during the incubation period.

Figure 7: Countries/areas visited by cases tested positive by nucleic acid tests reported in the past 4 weeks with travel history



Note:

- 1. Some cases had visited more than one country/area.
- 2. Re-positive cases are excluded in Figure 7.
- 3. Only countries/ areas visited by 10 or more cases are included in Figure 7.

Centre for Health Protection of the Department of Health Last updated on 1 November 2022